

Full Service ApS Tigervej 11 A 4600 Køge www.full-service.dk info@full-service.dk 20 90 85 50

Vores serviceteknikere kører i hele Danmark

VACUUM 40

Commercial Robotic Vacuum Cleaner for All Indoor Scenarios











Key Features

Versatile Cleaning

(So) 3-in-1 Solution

Integrates vacuuming, sweeping, and dust mopping in a single solution.

All-Pile Expert Carpet Care

Offers three carpet cleaning modes—light, medium, and deep—to accommodate various carpet pile heights effectively.

Air Purification

Multi-Purpose Diffuser Kit

An optional diffuser kit for scenting or humidifying, creating a pleasant and customizable atmosphere.

(HI3 HEPA Filter

Medical-grade air purification for superior air quality and cleanliness.

Ultimate Cleaning Power

(24 KPA Powerful Suction

Provides exceptional suction strength, effortlessly picking up fine dust and debris.

→ Zero-Distance Edge Cleaning

Able to clean along the edges at zero distance, leaving the edges spot-free.

Effortless Maintenance

(en) Docking Station

Optional charging dock for self-docking power charging

(DE) Easy-Maintenance Cleaning Components

An auto-lowering roller brush for quick replacement and optional disposable dust bags for efficient waste management.

Applicable Flooring Types



Low Pile Carpet



High Pile Carpet



Artificial Stone



Natural Stone



Hardwood



Ceramic



PVC



Ероху



Dimension (L×W×H)	800×690×890 mm 31.5×27×35 in; With Diffuser Kit: 810×690×990 mm 32×27×39 in	
Net Weight	91	kg 201 lb; With Diffuser Kit : 97 kg 214 lb
Cleaning Width (with side brushes)		720 mm 28 in
Max. Cleaning Efficiency (Theoretical)		2,300 m²/h 24,757 ft²/h
Practical Cleaning Efficiency		400-800 m²/h 4,306-8,611 ft²/h
Max. Air Flow Volume		120 m³/h
Max. Runtime		Vacuuming: 3h; Mopping: 18h
Charging Time		2.5 h
Trash Tray Capacity		2.5 L 0.6 gal
Dust Bag Capacity		12 L 3 gal
Edge Cleaning Capability		0-20mm 0-0.7 in
Gradeability		8°
Min. Pass Width		800 mm 31.5 in
Min. U-turn Width		1,100 mm 43 in
Max. Cleaning Speed		0.9 m/s 2 mph
Sensor System	LiDAR, 3D Depth Camera, RGB Camera, Anti-drop Sensor, Air Pressure Collision Sensor	
Diffuser Kit (Optional)	Humidifying	Scenting
Atomization Type	Ultrasonic atomization	Air-Assisted Atomization
Max. Atomization	1.1 L/h 0.29 gal/h	6 mL/h 0.002 gal/h
Container Capacity	4 L 1.06 gal	500 mL 0.13 gal
Recommended Fillers	Distilled water, etc.	Essential Oil

Expert Carpet Care
Fresh Air Everywhere